





<u>SCIENTIFIC NAME</u> Name - Junonia hierta Species - J. hierta Family - Nymphalidae

<u>COMMON NAMES</u> पीली पैंसी Yellow Pansy

Interesting Facts

Junonia hierta, the yellow pansy, is a species of nymphalid butterfly found in the Asia and Africa. It is usually seen in open scrub and grassland habitats.





<u>SCIENTIFIC NAME</u> Name - Hypolimnas misippus Species - H. misippus Family - Nymphalidae

> <u>COMMON NAMES</u> डेनाइड एगफ्लाई Danaid Eggfly

Interesting Facts

Hypolimnas misippus, the Danaid eggfly, is a widespread species of nymphalid butterfly. It is well known for mimicry and polymorphism. Males are blackish with distinctive white spots.






<u>SCIENTIFIC NAME</u> Name - Papilio machaon Species - P. machaon Family - Papilionidae

<u>COMMON NAMES</u> कॉमन रेड फ्लैश Common Swallowtails

Interesting Facts Swallowtail butterflies are large, colorful butterflies in the family Papilionidae, and include over 550 species. Though the majority are tropical, members of the family inhabit every continent except Antarctica.





<u>SCIENTIFIC NAME</u> Name - Papilio demoleus Species - P. demoleus Family - Papilionidae

> <u>COMMON NAMES</u> लाइम स्वैलोटेल Lime Swallowtail

Interesting Facts

Papilio demoleus is a common swallowtail butterfly. The butterfly is also known as the lime butterfly, lemon butterfly, lime swallowtail, and chequered swallowtail. These common names refer to their host plants, which are usually citrus species such as the cultivated lime.





<u>SCIENTIFIC NAME</u> Name - Pelopidas mathiasnaus Species - P. mathias Family - Hesperiidae

> <u>COMMON NAMES</u> छोटे ब्रांडेड स्विफ्ट Small Branded Swift

Interesting Facts

Pelopidas mathias, the dark small-branded swift, small branded swift, lesser millet skipper or black branded swift, is a butterfly belonging to the family Hesperiidae. It is found throughout much of south, southeast and East Asia, and as far as the Philippines. It is also present in tropical Africa and Arabia.



JDMC- for Quality & Excellence in Higher Education



(University of Delhi) ACCREDITED BY NAAC WITH B++ GRADE

<u>SCIENTIFIC NAME</u> Name - Danaus genutia Species - D. genutia Family - Nymphalidae

<u>COMMON NAMES</u> कॉमन टाइगर Common Tiger

Interesting Facts

Danaus genutia, the common tiger, is one of the common butterflies of India. It belongs to the "crows and tigers", that is, the Danainae group of the brush-footed butterflies family. The butterfly is also called striped tiger in India to differentiate it from the equally common plain tiger, Danaus chrysippus.



SCIENTIFIC NAME Name - Spirama retorta Species - S. retorta Family - Erebidae

COMMON NAMES भारतीय उल्लू-कीट Indian owlet-moth

Interesting Facts Spirama retorta, the Indian owlet-moth, is a moth of the family Erebidae. The species was first described by Carl Alexander Clerck in 1764. It is found in China (Tibet, Qinghai, Jiangsu, Fukien, Yunnan), Korea, Japan (Honshu), India (Sikkim, West Bengal), Nepal, Bangladesh, etc.

Photography / Data Collection: Prof. Swati Pal/ Dr. Deepak Rawat Source: Personal collection/ ifoundbutterflies.org

JDMC- for Quality & Excellence in Higher Education



JDMC- for Quality & Excellence in Higher Education



Janki Devi Memorial College (University of Delhi) ACCREDITED BY NAAC WITH B++ GRADE

<u>SCIENTIFIC NAME</u> Name - Rapala iarbus Species - R. iarbus Family - Lycaenidae

<u>COMMON NAMES</u> कॉमन रेड फ्लैश Common Red Flash

Interesting Facts

Rapala iarbus, the common red flash, is a species of lycaenid butterfly found in South and Southeast Asia. The male is red to orange with dark brown costal and distal border on the forewing. In contrast, the female is a dull coppery brown throughout.






<u>SCIENTIFIC NAME</u> Name - Danaus chrysippus Species - D. chrysippus Family - Nymphalidae

<u>COMMON NAMES</u> प्लेन टाइगर Plain tiger

Interesting Facts

The Plain Tiger, Danaus chrysippus The thorax is black with white spots and the abdomen is a tawny brown colour. Males are usually smaller than females and may be more brightly coloured. The wingspan is about 7-8 cm. Like Monarch butterflies, Plain Tigers are in the genus Danaus also know as the milkweed butterflies





<u>SCIENTIFIC NAME</u> Name - Papilio polytes Species - P. Polytes Family - Papilionidae

<u>COMMON NAMES</u> कॉमन मॉर्मन Common Mormon

Interesting Facts

Papilio polytes, the common Mormon, is a common species of swallowtail butterfly widely distributed across Asia. This butterfly is known for the mimicry displayed by the numerous forms of its females which mimic inedible red-bodied swallowtails, such as the common rose and the crimson rose.





<u>SCIENTIFIC NAME</u> Name - Luthrodes pandava Species - L. pandava Family - Lycaenidae

> <u>COMMON NAMES</u> मैदानी क्यूपिड Plains Cupid

Interesting Facts

Luthrodes pandava, the plains cupid, is a species of lycaenid butterfly found in India, Sri Lanka, Myanmar, United Arab Emirates, Indochina, and the Philippines. They are among the few butterflies that breed on plants of the cycad class.





<u>SCIENTIFIC NAME</u> Name - Chilades parrhasius Species - C. parrhasius Family - lycaenids

> <u>COMMON NAMES</u> स्मॉल क्यूपिड Small Cupid

Interesting Facts

Chilades parrhasius, the small Cupid, is a small butterfly that belongs to the lycaenids or blues family. It is found in Nepal, southern Turan, southern Ghissar, Iran, Afghanistan, Pakistan, Sri Lanka and southern, central and north-west India





<u>SCIENTIFIC NAME</u> Name - Scopula Immutata Species - P. mathias Family - Geometridae

> <u>COMMON NAMES</u> लीसर क्रीम वेव Lesser Cream Wave

Interesting Facts

Scopula immutata, the lesser cream wave, is a moth of the family Geometridae. It was described by Carl Linnaeus in his 1758 10th edition of Systema Naturae





<u>SCIENTIFIC NAME</u> Name - Papilio nephelus Species - P. nephelus Family - Papilionidae

<u>COMMON NAMES</u> ब्लैक एंड व्हाइट हेलेन Black and White Helen

Interesting Facts

Papilio nephelus is a species of swallowtail butterfly belonging to the family Papilionidae. Subspecies include P. n. chaon, the yellow Helen, and P. n. sunatus, the black and white Helen






<u>SCIENTIFIC NAME</u> Name - Phoebis argante Species - P. argante Family - Pieridae

<u>COMMON NAMES</u> एप्रीकॉट सल्फर Apricot Sulphur

Interesting Facts

Phoebis argante has a wingspan of about 54–67 millimetres (2.1–2.6 in). The uppersides of the male's wings are bright orange with a thin black or dark brown border on forewings. The hindwings are slightly paler and have two small whitish spots in the middle.





<u>SCIENTIFIC NAME</u> Name - Santomoides imaon Species - S. imaon Family - Erebidae

> <u>COMMON NAMES</u> हैंडमेडन पतंगा Handmaiden moth

Interesting Facts

Syntomoides imaon, the handmaiden moth, is a moth of subfamily Arctiinae, subtribe Ctenuchina. The systematics of the subfamily has been revised. It was described by Pieter Cramer in 1780. It is well distributed in Sikkim, Khasi hills and throughout India Tamil Nadu, Kerala, Sri Lanka, Myanmar, Bangladesh, Nepal, and Hong Kong, Viet Nam





<u>SCIENTIFIC NAME</u> Name - Papilio polytes Species - P. polytes Family - Papilionidae

<u>COMMON NAMES</u> द मॉर्मन The mormon

Interesting Facts

Papilio polytes, the common Mormon, is a common species of swallowtail butterfly widely distributed across Asia. This butterfly is known for the mimicry displayed by the numerous forms of its females which mimic inedible red-bodied swallowtails, such as the common rose and the crimson rose





<u>SCIENTIFIC NAME</u> Name - Phoebis sennae Species - P. sennae Family - Pieridae

<u>COMMON NAMES</u> क्लोउडलेस सल्फर Cloudless sulphur

Interesting Facts

Cloudless sulphur (phoebis sennae) is a medium-sized yellow butterfly from the family Pieridae, it is found throughout America. The average wingspan of these butterflies is about 2-3 in (5-7.6 cm) and clear signs of sexual dimorphism between males and females are visible.





<u>SCIENTIFIC NAME</u> Name - Appias albina Species - A. albina Family - Pieridae

COMMON NAMES

स्मॉल क्यूपिड Common albatross

Interesting Facts

Appias albina, the common albatross, is a small butterfly of the family Pieridae. It is found in south and southeast Asia to Australia



JDMC- for Quality & Excellence in Higher Education





<u>SCIENTIFIC NAME</u> Name - Dysgonia torrida Species - D. torrida Family - Erebidae

<u>COMMON NAMES</u> द जिगसॉ The Jigsaw

Interesting Facts

Dysgonia torrida, the jigsaw, is a moth of the family Erebidae. The species was first described by Achille Guenée in 1852. It is found from the tropical and subtropical areas of Africa to Spain, southern Italy, Greece, Syria, Israel, Iran, Uzbekistan towards India, Sri Lanka and Myanmar.






<u>SCIENTIFIC NAME</u> Name - Colotis amata Species - C. amata Family - Pieridae

<u>COMMON NAMES</u> स्माल सैमन अरब Small Salmon Arab

Interesting Facts Colotis amata, the small salmon Arab, is a small butterfly of the family Pieridae, that is, the yellows and whites. It is found in Africa and Asia





<u>SCIENTIFIC NAME</u> Name - Belenois aurota Species - B. aurota Family - Pieridae


<u>COMMON NAMES</u> पायनियर वाइट Pioneer White

Interesting Facts

Belenois aurota, the pioneer or pioneer white or caper white, is a small to medium-sized butterfly of the family Pieridae, that is, the yellows and whites, which is found in South Asia and Africa. In Africa, it is also known as the brown-veined white, and is well known during summer and autumn when large numbers migrate north-east over the

interior. Photography / Data Collection: Prof. Swati Pal/ Dr. Deepak Rawat

Source: Personal collection/ ifoundbutterflies.org



JDMC- for Quality & Excellence in Higher Education




Janki Devi Memorial College (University of Delhi) ACCREDITED BY NAAC WITH B++ GRADE

<u>SCIENTIFIC NAME</u> Name - Pseudozizeeria maha <u>Species - P. maha</u> Family - Lycaenidae

> <u>COMMON NAMES</u> पेल ग्रास ब्लू Pale Grass Blue

> > **Interesting Facts**

Pseudozizeeria maha, the pale grass blue, is a small butterfly found in South Asia that belongs to the lycaenids or blues family. The species was first described by Vincenz Kollar in 1844





<u>SCIENTIFIC NAME</u> Name – Borbo cinnara Species - B. cinnara Family - Hesperiidae

<u>COMMON NAMES</u> राइस स्विफ्ट Rice Swift

Interesting Facts

Borbo cinnara, commonly known as the rice swift, Formosan swift or rice leaf folder, is a butterfly belonging to the family Hesperiidae. It is found in Sri Lanka, India, Myanmar, Vietnam, Cambodia, Taiwan, and Australia.



<u>SCIENTIFIC NAME</u> Name - Pieris canidia Species - P. canidia Family - Pieridae

<u>COMMON NAMES</u> गोभी की तितली Indian Cabbage White

Interesting Facts

Pieris canidia, the Indian cabbage white, is a butterfly in the family Pieridae found in India, Nepal and Indochina. The male is white to pale cream on its upperside.

Photography / Data Collection: Prof. Swati Pal/ Dr. Deepak Rawat Source: Personal collection/ ifoundbutterflies.org

JDMC- for Quality & Excellence in Higher Education